Monday 24.03.2025

Published 23 03 2025, 17:00










Danger Level 2 - Moderate



Due to warming, the main avalanche problem is WET SNOW.

Moderate avalanche danger in the high altitudes of the High, Western and Low Tatras, 2nd degree. Small to medium-sized spontaneous avalanches from wet snow may occur on steep slopes during the day as the weather warms up. Hard snow slabs and pillows are present on north slopes, in couloirs, under saddles and rock faces, which may release an avalanche with a large additional load.

Snowpack

The snow cover is very heterogeneous due to variable precipitation, which is snow only at altitudes above 1800-2000 m above sea level. Below this line the snow is moist to wet, above it new snow is slightly increasing. Overall, however, only 5 to 10 cm. On the northern slopes at high altitudes (above 2000 m), snow slabs and pillows of varying hardness continue to occur. At altitudes up to 1500 m there is only patchy snow cover.


Tendency

persistent state

fk



Danger Level 1 - Low



There is only a small avalanche danger and only locally - on slopes with snow.

In Veľká and Mala Fatra and in the eastern part of the Low Tatras there is only a SMALL avalanche danger, 1st degree. As a result of rain, the occurrence of wet snow avalanches on steep slopes is possible.

Snowpack

Most of the mountain ranges are already without snow cover. At altitudes up to 1400 m above sea level and on the southern slopes it is only discontinuous, at higher altitudes it is continuous, especially in gullies and cirques where it reaches a maximum of 50 cm. The snow is wet or damp throughout the day due to rain and warming temperatures.

Tendency

persistent state

fk